Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis 0 (0-11 mo) Count % within Sex 3% 1.0% 1 (12-23 mo) Count 2 0 0 % within Sex .1% .0% 2-4 Count 2 0 0 % within Sex .1% .0% 5-12 Count 4 0 0 % within Sex .1% .2% 5-12 Count 4 0 0 % within Sex .3% .0% 13-19 Count 4 145 55 .55 % within Sex 20-24 Count 1 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 19.9% 17.2% 40-44 Count 203 63	10 .5% 2 .1% 3 .1% 4 .2% 100 4.9%
Diagnosis % within Sex .3% 1.0% 1 (12-23 mo) Count 2 0 % within Sex .1% .0% 2-4 Count 2 1 % within Sex .1% .2% 5-12 Count 4 0 % within Sex .3% .0% 13-19 Count 45 55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	.5% 2 .1% 3 .1% 4 .2%
1 (12-23 mo) Count % within Sex 1.9% 1.0% 2-4 Count % within Sex 1.1% .2% 5-12 Count 4 0 .2% 5-12 Count 4 0 .0% 13-19 Count 45 55 .55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	2 .1% 3 .1% 4 .2%
% within Sex .1% .0% 2-4 Count 2 1 % within Sex .1% .2% 5-12 Count 4 0 % within Sex .3% .0% 13-19 Count 45 55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	.1% 3 .1% 4 .2% 100
2-4 Count % within Sex 1% .2% 5-12 Count % within Sex .3% .0% 13-19 Count 45 55 .55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	3 .1% 4 .2% 100
% within Sex .1% .2% 5-12 Count 4 0 % within Sex .3% .0% 13-19 Count 45 55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	.1% 4 .2% 100
5-12 Count % within Sex .3% .0% 13-19 Count 45 .55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	4 .2% 100
% within Sex .3% .0% 13-19 Count 45 55 % within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	.2% 100
13-19 Count % within Sex 3.1% 9.1% 20-24 Count 147 110 8 18.2% 25-29 Count 24 109 8 15.7% 18.0% 30-34 Count 285 104 8 19.9% 17.2% 35-39 Count 268 74 8 18.8% 12.2% 40-44 Count 203 63	100
% within Sex 3.1% 9.1% 20-24 Count 147 110 % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	
20-24 Count % within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	4.9%
% within Sex 10.3% 18.2% 25-29 Count 224 109 % within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	
25-29 Count % within Sex 224 109 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	257
% within Sex 15.7% 18.0% 30-34 Count 285 104 % within Sex 19.9% 17.2% 35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	12.6%
30-34 Count % within Sex 285 104 % within Sex 19.9% 17.2% 35-39 Count % within Sex 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	333
% within Sex 19.9% 17.2% 35-39 Count 268 74 8 within Sex 18.8% 12.2% 40-44 Count 203 63	16.4%
35-39 Count 268 74 % within Sex 18.8% 12.2% 40-44 Count 203 63	389
% within Sex 18.8% 12.2% 40-44 Count 203 63	19.1%
40-44 Count 203 63	342
	16.8%
% within Sex 14.2% 10.4%	266
	13.1%
45-49 Count 124 49	173
% within Sex 8.7% 8.1%	8.5%
50-54 Count 58 19	77
% within Sex 4.1% 3.1%	3.8%
55-59 Count 33 12	45
% within Sex 2.3% 2.0%	2.2%
60-64 Count 16 1	17
% within Sex 1.1% .2%	.8%
65-69 Count 7 1	
% within Sex .5% .2%	8
70+ Count 7 2	.4%
% within Sex .5% .3%	-
Total Count 1429 606	.4%
% within Sex 100.0% 100.0% 10	.4%

a. HSDA = Houston

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	513	112	625
		% within Sex	35.9%	18.5%	30.7%
	African American	Count	611	397	1008
		% within Sex	42.8%	65.5%	49.5%
	Hispanic	Count	273	81	354
		% within Sex	19.1%	13.4%	17.4%
	Asian-Pacific Islander	Count	20	6	26
		% within Sex	1.4%	1.0%	1.3%
	Am Indian-Alaskan	Count	2	3	5
		% within Sex	.1%	.5%	.2%
	Not Specified	Count	10	7	17
		% within Sex	.7%	1.2%	.8%
Total	_	Count	1429	606	2035
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	644	0	644
Exposure		% within Sex	45.1%	.0%	31.6%
	IDU	Count	55	44	99
		% within Sex	3.8%	7.3%	4.9%
	M-M & IDU	Count	60	0	60
		% within Sex	4.2%	.0%	2.9%
	Heterosexual Contact	Count	153	255	408
		% within Sex	10.7%	42.1%	20.0%
	Not Classified	Count	505	300	805
		% within Sex	35.3%	49.5%	39.6%
	Ped Parent at Risk	Count	10	6	16
		% within Sex	.7%	1.0%	.8%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.2%	.1%
Total		Count	1429	606	2035
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

			Adı	Adult-Ped		
			Pediatric	Adult/ Adolescent	Total	
Race-Ethnicity	White Non-Hispanic	Count	0	625	625	
,	·	% within Adult-Ped	.0%	31.0%	30.7%	
	African American	Count	12	996	1008	
		% within Adult-Ped	63.2%	49.4%	49.5%	
	Hispanic	Count	5	349	354	
		% within Adult-Ped	26.3%	17.3%	17.4%	
	Asian-Pacific Islander	Count	1	25	26	
		% within Adult-Ped	5.3%	1.2%	1.3%	
	Am Indian-Alaskan	Count	1	4	5	
		% within Adult-Ped	5.3%	.2%	.2%	
	Not Specified	Count	0	17	17	
		% within Adult-Ped	.0%	.8%	.8%	
Total		Count	19	2016	2035	
		% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	5	7
Diagnosis		% within Sex	.2%	1.3%	.6%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.3%	.1%
	2-4	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	5-12	Count	0	1	1
		% within Sex	.0%	.3%	.1%
	13-19	Count	26	45	71
		% within Sex	3.1%	11.4%	5.8%
	20-24	Count	112	76	188
		% within Sex	13.5%	19.2%	15.3%
	25-29	Count	156	83	239
		% within Sex	18.8%	21.0%	19.5%
	30-34	Count	189	72	261
		% within Sex	22.8%	18.2%	21.3%
	35-39	Count	143	41	184
		% within Sex	17.2%	10.4%	15.0%
	40-44	Count	92	31	123
		% within Sex	11.1%	7.8%	10.0%
	45-49	Count	60	26	86
		% within Sex	7.2%	6.6%	7.0%
	50-54	Count	28	9	37
		% within Sex	3.4%	2.3%	3.0%
	55-59	Count	10	3	13
		% within Sex	1.2%	.8%	1.1%
	60-64	Count	5	2	7
		% within Sex	.6%	.5%	.6%
	65-69	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	70+	Count	3	0	3
		% within Sex	.4%	.0%	.2%
Total		Count	830	395	1225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	269	52	321
		% within Sex	32.4%	13.2%	26.2%
	African American	Count	379	296	675
		% within Sex	45.7%	74.9%	55.1%
	Hispanic	Count	174	43	217
		% within Sex	21.0%	10.9%	17.7%
	Asian-Pacific Islander	Count	4	4	8
		% within Sex	.5%	1.0%	.7%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	2	0	2
		% within Sex	.2%	.0%	.2%
Total		Count	830	395	1225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	482	0	482
Exposure		% within Sex	58.1%	.0%	39.3%
	IDU	Count	56	58	114
		% within Sex	6.7%	14.7%	9.3%
	M-M & IDU	Count	38	0	38
		% within Sex	4.6%	.0%	3.1%
	Heterosexual Contact	Count	74	220	294
		% within Sex	8.9%	55.7%	24.0%
	Not Classified	Count	176	110	286
		% within Sex	21.2%	27.8%	23.3%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	.5%	1.5%	.8%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.3%	.1%
Total		Count	830	395	1225
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

			Adı	Adult-Ped		
			Pediatric	Adult/ Adolescent	Total	
Race-Ethnicity	White Non-Hispanic	Count	0	321	321	
		% within Adult-Ped	.0%	26.4%	26.2%	
	African American	Count	10	665	675	
		% within Adult-Ped	90.9%	54.8%	55.1%	
	Hispanic	Count	1	216	217	
		% within Adult-Ped	9.1%	17.8%	17.7%	
	Asian-Pacific Islander	Count	0	8	8	
		% within Adult-Ped	.0%	.7%	.7%	
	Am Indian-Alaskan	Count	0	2	2	
		% within Adult-Ped	.0%	.2%	.2%	
	Not Specified	Count	0	2	2	
		% within Adult-Ped	.0%	.2%	.2%	
Total		Count	11	1214	1225	
		% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis				Se	ex	
Diagnosis % within Sex 1.1% 2.4% 1.6% 1 (12-23 mo) Count 13 10 23 % within Sex .3% .5% .4% 2-4 Count 16 9 25 % within Sex .4% .4% .4% 5-12 Count 20 10 30 % within Sex .5% .5% .5% 13-19 Count 123 264 387 20-24 Count 497 403 397 within Sex 11.8% 19.0% 14.2% 25-29 Count 726 387 1113 % within Sex 17.2% 18.2% 17.6% 30-34 Count 900 350 1250 % within Sex 18.3% 11.0% 15.8% 40-44 Count 771 233 1004 % within Sex 18.3% 11.0% 15.8% 45-49 Count 319				Male	Female	Total
1 (12-23 mo) Count 13 10 23 24 Count 16 9 25		0 (0-11 mo)	Count	48	52	100
Within Sex 3% 5% 4%	Diagnosis		% within Sex	1.1%	2.4%	1.6%
2-4 Count % within Sex 16 .4% 9 .4% 25 .4% 5-12 Count % within Sex .5% .5% .5% 13-19 Count % within Sex 2.9% 12.4% 6.1% 20-24 Count % within Sex 11.8% 19.0% 14.2% 25-29 Count % within Sex 17.2% 18.2% 17.6% 30-34 Count % within Sex 21.3% 16.5% 19.7% 35-39 Count % within Sex 18.3% 11.0% 15.8% 40-44 Count % within Sex 12.0% 8.1% 10.7% 45-49 Count % within Sex 7.6% 6.2% 7.1% 50-54 Count % within Sex 7.6% 6.2% 7.1% 50-59 Count % within Sex 1.8% 1.4% 1.6% 60-64 Count 13 6 39 % within Sex .8% .3% .6% 65-69 Count 15 3 18 % within Sex .4% .1%		1 (12-23 mo)	Count	13	10	23
% within Sex .4% .4% .4% 5-12 Count 20 10 30 % within Sex .5% .5% .5% 13-19 Count 123 264 387 % within Sex 2.9% 12.4% 6.1% 20-24 Count 497 403 900 % within Sex 11.8% 19.0% 14.2% 25-29 Count 726 387 1113 % within Sex 17.2% 18.2% 17.6% 30-34 Count 900 350 1250 % within Sex 21.3% 16.5% 19.7% 35-39 Count 771 233 1004 % within Sex 18.3% 11.0% 15.8% 40-44 Count 505 173 678 % within Sex 12.0% 8.1% 10.7% 45-49 Count 319 131 450 % within Sex 7.6% 6.2% <			% within Sex	.3%	.5%	.4%
5-12 Count % within Sex .5% .5% .5% 13-19 Count 123 264 387 % within Sex 2.9% 12.4% 6.1% 20-24 Count 497 403 900 % within Sex 11.8% 19.0% 14.2% 25-29 Count 726 387 1113 % within Sex 17.2% 18.2% 17.6% 30-34 Count 900 350 1250 % within Sex 21.3% 16.5% 19.7% 35-39 Count 771 233 1004 % within Sex 18.3% 11.0% 15.8% 40-44 Count 505 173 678 % within Sex 12.0% 8.1% 10.7% 45-49 Count 319 131 450 % within Sex 7.6% 6.2% 7.1% 50-54 Count 741 59 200 % within Sex 3.3% 2.8% 3.2% 55-59 Count 74 29		2-4	Count	16	9	25
Within Sex .5%			% within Sex	.4%	.4%	.4%
13-19		5-12	Count	20	10	30
% within Sex 2.9% 12.4% 6.1% 20-24 Count 497 403 900 % within Sex 11.8% 19.0% 14.2% 25-29 Count 726 387 1113 % within Sex 17.2% 18.2% 17.6% 30-34 Count 900 350 1250 % within Sex 21.3% 16.5% 19.7% 35-39 Count 771 233 1004 % within Sex 18.3% 11.0% 15.8% 40-44 Count 505 173 678 % within Sex 12.0% 8.1% 10.7% 45-49 Count 319 131 450 % within Sex 7.6% 6.2% 7.1% 50-54 Count 141 59 200 % within Sex 3.3% 2.8% 3.2% 55-59 Count 74 29 103 % within Sex 1.8% 1.4%			% within Sex	.5%	.5%	.5%
20-24		13-19	Count	123	264	387
Within Sex			% within Sex	2.9%	12.4%	6.1%
25-29		20-24	Count	497	403	900
Within Sex			% within Sex	11.8%	19.0%	14.2%
30-34		25-29	Count	726	387	1113
Within Sex 21.3% 16.5% 19.7% 35-39 Count 771 233 1004 % within Sex 18.3% 11.0% 15.8% 40-44 Count 505 173 678 % within Sex 12.0% 8.1% 10.7% 45-49 Count 319 131 450 % within Sex 7.6% 6.2% 7.1% 50-54 Count 141 59 200 % within Sex 3.3% 2.8% 3.2% 55-59 Count 74 29 103 % within Sex 1.8% 1.4% 1.6% 60-64 Count 33 6 39 % within Sex 8.8% 3.3% 6.6% 65-69 Count 15 3 18 % within Sex 3.4% 1.1% 3.3% 70+ Count 16 4 20 % within Sex 3.4% 2.2% 3.3% Unknown Count 1 0 1 % within Sex 0.0% 0.0% Count 74 29 103 1			% within Sex	17.2%	18.2%	17.6%
35-39		30-34	Count	900	350	1250
Within Sex 18.3% 11.0% 15.8% 40-44 Count 505 173 678 678 674 675 12.0% 8.1% 10.7% 45-49 Count 319 131 450 6.2% 7.1% 50-54 Count 141 59 200 % within Sex 3.3% 2.8% 3.2% 55-59 Count 74 29 103 60-64 Count 33 6 39 60-64 Count 33 6 39 66% 65-69 Count 15 3 18 65-69 Count 16 4 20 65-69 Count 17 65-69 Count 18 65-69 Co			% within Sex	21.3%	16.5%	19.7%
40-44		35-39	Count	771	233	1004
Within Sex 12.0% 8.1% 10.7%			% within Sex	18.3%	11.0%	15.8%
A5-49		40-44	Count	505	173	678
Within Sex 7.6% 6.2% 7.1%			% within Sex	12.0%	8.1%	10.7%
Total Tota		45-49	Count	319	131	450
Within Sex 3.3% 2.8% 3.2% 55-59 Count 74 29 103 (% within Sex 1.8% 1.4% 1.6% (60-64 Count 33 6 39 (% within Sex .8% .3% .6% (65-69 Count 15 3 18 (% within Sex .4% .1% .3% (70+ Count 16 4 20 (% within Sex .4% .2% .3% (10 10 10 10 10 (10 10			% within Sex	7.6%	6.2%	7.1%
55-59 Count % within Sex 74 29 103 60-64 Count % within Sex 33 6 39 % within Sex .8% .3% .6% 65-69 Count 15 3 18 % within Sex .4% .1% .3% 70+ Count 16 4 20 % within Sex .4% .2% .3% Unknown Count 1 1 0 1 % within Sex .0% .0% .0% Total Count 4218 2123 6341		50-54	Count	141	59	200
Within Sex 1.8% 1.4% 1.6% 60-64 Count 33 6 39 8 8 3 6 6 60 60 60 60 60			% within Sex	3.3%	2.8%	3.2%
60-64 Count % within Sex .8% .3% .6% 65-69 Count % within Sex .4% .1% .3% 70+ Count % within Sex .4% .2% .3% Unknown Count % within Sex .4% .2% .3% Unknown Count % within Sex .0% .0% .0% Total Count % 218 2123 6341		55-59	Count	74	29	103
Within Sex .8% .3% .6%			% within Sex	1.8%	1.4%	1.6%
65-69 Count % within Sex 15 3 18 70+ Count % within Sex 16 4 20 % within Sex .4% .2% .3% Unknown Count % within Sex .0% .0% .0% Total Count % 218 2123 6341		60-64	Count	33	6	39
Within Sex .4% .1% .3%			% within Sex	.8%	.3%	.6%
70+ Count % within Sex 16 .2% .2% .3% Unknown Count % within Sex .0% .0% .0% Total Count 4218 2123 6341		65-69	Count	15	3	18
70+ Count % within Sex 16 .2% .3% Unknown Count 7 .0% 1 0 1 1 0 1 % within Sex 8 .0% .0% .0% .0% Total Count 4218 2123 6341			% within Sex	.4%	.1%	.3%
Unknown Count % within Sex 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		70+	Count			
% within Sex .0% .0% .0% Total Count 4218 2123 6341			% within Sex	.4%	.2%	.3%
Total Count 4218 2123 6341		Unknown	Count			
Total Count 4218 2123 6341			% within Sex	.0%	.0%	.0%
% within Sex 100.0% 100.0% 100.0%	Total		Count			
			% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1454	320	1774
		% within Sex	34.5%	15.1%	28.0%
	African American	Count	1962	1528	3490
		% within Sex	46.5%	72.0%	55.0%
	Hispanic	Count	748	246	994
		% within Sex	17.7%	11.6%	15.7%
	Asian-Pacific Islander	Count	32	13	45
		% within Sex	.8%	.6%	.7%
	Am Indian-Alaskan	Count	6	4	10
		% within Sex	.1%	.2%	.2%
	Not Specified	Count	16	12	28
		% within Sex	.4%	.6%	.4%
Total	_	Count	4218	2123	6341
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	Sex		
			Male	Female	Total	
Mode of	Male-to-Male Sex	Count	2105	0	2105	
Exposure		% within Sex	49.9%	.0%	33.2%	
	IDU	Count	323	313	636	
		% within Sex	7.7%	14.7%	10.0%	
	M-M & IDU	Count	261	0	261	
		% within Sex	6.2%	.0%	4.1%	
	Hemophiliac	Count	2	1	3	
		% within Sex	.0%	.0%	.0%	
	Heterosexual Contact	Count	426	1103	1529	
		% within Sex	10.1%	52.0%	24.1%	
	Transfusion	Count	0	1	1	
		% within Sex	.0%	.0%	.0%	
	Not Classified	Count	1004	624	1628	
		% within Sex	23.8%	29.4%	25.7%	
	Ped Hemophiliac	Count	3	1	4	
		% within Sex	.1%	.0%	.1%	
	Ped Parent at Risk	Count	80	73	153	
		% within Sex	1.9%	3.4%	2.4%	
	Ped Transfusion	Count	1	0	1	
		% within Sex	.0%	.0%	.0%	
	Ped Other-Undet	Count	13	7	20	
		% within Sex	.3%	.3%	.3%	
Total		Count	4218	2123	6341	
		% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Houston

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	22	1752	0	1774
		% within Adult-Ped	12.4%	28.4%	.0%	28.0%
	African American	Count	123	3367	0	3490
		% within Adult-Ped	69.1%	54.6%	.0%	55.0%
	Hispanic	Count	24	969	1	994
		% within Adult-Ped	13.5%	15.7%	100.0%	15.7%
	Asian-Pacific Islander	Count	1	44	0	45
		% within Adult-Ped	.6%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	1	9	0	10
		% within Adult-Ped	.6%	.1%	.0%	.2%
	Not Specified	Count	7	21	0	28
		% within Adult-Ped	3.9%	.3%	.0%	.4%
Total		Count	178	6162	1	6341
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	44	52	96
Diagnosis		% within Sex	1.1%	2.5%	1.5%
	1 (12-23 mo)	Count	13	10	23
		% within Sex	.3%	.5%	.4%
	2-4	Count	16	9	25
		% within Sex	.4%	.4%	.4%
	5-12	Count	18	9	27
		% within Sex	.4%	.4%	.4%
	13-19	Count	123	264	387
		% within Sex	3.0%	12.6%	6.2%
	20-24	Count	496	402	898
		% within Sex	11.9%	19.1%	14.3%
	25-29	Count	721	385	1106
		% within Sex	17.3%	18.3%	17.7%
	30-34	Count	894	345	1239
		% within Sex	21.5%	16.4%	19.8%
	35-39	Count	761	233	994
		% within Sex	18.3%	11.1%	15.9%
	40-44	Count	497	171	668
		% within Sex	12.0%	8.1%	10.7%
	45-49	Count	310	128	438
		% within Sex	7.5%	6.1%	7.0%
	50-54	Count	137	58	195
		% within Sex	3.3%	2.8%	3.1%
	55-59	Count	66	27	93
		% within Sex	1.6%	1.3%	1.5%
	60-64	Count	31	5	36
		% within Sex	.7%	.2%	.6%
	65-69	Count	14	2	16
		% within Sex	.3%	.1%	.3%
	70+	Count	14	3	17
		% within Sex	.3%	.1%	.3%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total		Count	4156	2103	6259
- 1100.4		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	0	1	1
Age		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	3	4	7
		% within Sex	.1%	.2%	.1%
	2-4	Count	8	10	18
		% within Sex	.2%	.5%	.3%
	5-12	Count	55	49	104
		% within Sex	1.3%	2.3%	1.7%
	13-19	Count	40	60	100
		% within Sex	1.0%	2.9%	1.6%
	20-24	Count	210	263	473
		% within Sex	5.1%	12.5%	7.6%
	25-29	Count	431	370	801
		% within Sex	431 x 10.4% 1		12.8%
	30-34	Count	671	383	1054
		% within Sex	16.1%	18.2%	16.8%
	35-39	Count	840	324	1164
		% within Sex	20.2%	15.4%	18.6%
	40-44	Count	788	255	1043
		% within Sex	19.0%	12.1%	16.7%
	45-49	Count	542	189	731
		% within Sex	13.0%	9.0%	11.7%
	50-54	Count	306	107	413
		% within Sex	7.4%	5.1%	6.6%
	55-59	Count	144	59	203
		% within Sex	3.5%	2.8%	3.2%
	60-64	Count	62	20	82
		% within Sex	1.5%	1.0%	1.3%
	65-69	Count	26	5	31
		% within Sex	.6%	.2%	.5%
	70+	Count	30	4	34
		% within Sex	.7%	.2%	.5%
Total		Count	4156	2103	6259
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1431	314	1745
		% within Sex	34.4%	14.9%	27.9%
	African American	Count	1931	1514	3445
		% within Sex	46.5%	72.0%	55.0%
	Hispanic	Count	742	246	988
		% within Sex	17.9%	11.7%	15.8%
	Asian-Pacific Islander	Count	31	13	44
		% within Sex	.7%	.6%	.7%
	Am Indian-Alaskan	Count	6	4	10
		% within Sex	.1%	.2%	.2%
	Not Specified	Count	15	12	27
		% within Sex	.4%	.6%	.4%
Total		Count	4156	2103	6259
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2087	0	2087
Exposure		% within Sex	50.2%	.0%	33.3%
	IDU	Count	310	307	617
		% within Sex	7.5%	14.6%	9.9%
	M-M & IDU	Count	260	0	260
		% within Sex	6.3%	.0%	4.2%
	Hemophiliac	Count	2	1	3
		% within Sex	.0%	.0%	.0%
	Heterosexual Contact	Count	418	1098	1516
		% within Sex	10.1%	52.2%	24.2%
	Transfusion	Count	0	1	1
		% within Sex	.0%	.0%	.0%
	Not Classified	Count	988	616	1604
		% within Sex	23.8%	29.3%	25.6%
	Ped Hemophiliac	Count	2	1	3
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	76	72	148
		% within Sex	1.8%	3.4%	2.4%
	Ped Transfusion	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	12	7	19
		% within Sex	.3%	.3%	.3%
Total		Count	4156	2103	6259
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	20	1725	0	1745
		% within Adult-Ped	11.7%	28.3%	.0%	27.9%
	African American	Count	118	3327	0	3445
		% within Adult-Ped	69.0%	54.7%	.0%	55.0%
	Hispanic	Count	24	963	1	988
		% within Adult-Ped	14.0%	15.8%	100.0%	15.8%
	Asian-Pacific Islander	Count	1	43	0	44
		% within Adult-Ped	.6%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	1	9	0	10
		% within Adult-Ped	.6%	.1%	.0%	.2%
	Not Specified	Count	7	20	0	27
		% within Adult-Ped	4.1%	.3%	.0%	.4%
Total		Count	171	6087	1	6259
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	5-12	Count	0	1	1
		% within Sex	.0%	.3%	.1%
	13-19	Count	7	4	11
		% within Sex	.6%	1.1%	.7%
	20-24	Count	52	30	82
		% within Sex	4.7%	8.2%	5.6%
	25-29	Count	93	56	149
		% within Sex	8.4%	15.4%	10.1%
	30-34	Count	177	51	228
		% within Sex	15.9%	14.0%	15.4%
	35-39	Count	276	71	347
		% within Sex	24.8%	19.5%	23.5%
	40-44	Count	190	64	254
		% within Sex	17.1%	17.6%	17.2%
	45-49	Count	152	33	185
		% within Sex	13.7%	9.1%	12.5%
	50-54	Count	89	22	111
		% within Sex	8.0%	6.0%	7.5%
	55-59	Count	34	13	47
		% within Sex	3.1%	3.6%	3.2%
	60-64	Count	21	13	34
		% within Sex	1.9%	3.6%	2.3%
	65-69	Count	10	2	12
		% within Sex	.9%	.5%	.8%
	70+	Count	10	4	14
		% within Sex	.9%	1.1%	.9%
Total		Count	1112	364	1476
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	378	46	424
		% within Sex	34.0%	12.6%	28.7%
	African American	Count	475	263	738
		% within Sex	42.7%	72.3%	50.0%
	Hispanic	Count	242	51	293
		% within Sex	21.8%	14.0%	19.9%
	Asian-Pacific Islander	Count	14	4	18
		% within Sex	1.3%	1.1%	1.2%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	1112	364	1476
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	494	0	494
Exposure		% within Sex	44.4%	.0%	33.5%
	IDU	Count	83	61	144
		% within Sex	7.5%	16.8%	9.8%
	M-M & IDU	Count	50	0	50
	Hamanhiliaa	% within Sex	4.5%	.0%	3.4%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	144	185	329
		% within Sex	12.9%	50.8%	22.3%
	Not Classified	Count	336	117	453
		% within Sex	30.2%	32.1%	30.7%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	1112	364	1476
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	424	424
		% within Adult-Ped	.0%	28.8%	28.7%
	African American	Count	2	736	738
		% within Adult-Ped	100.0%	49.9%	50.0%
	Hispanic	Count	0	293	293
		% within Adult-Ped	.0%	19.9%	19.9%
	Asian-Pacific Islander	Count	0	18	18
		% within Adult-Ped	.0%	1.2%	1.2%
	Am Indian-Alaskan	Count	0	2	2
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
Total		Count	2	1474	1476
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	13-19	Count	4	5	9
		% within Sex	.6%	2.1%	1.0%
	20-24	Count	32	19	51
		% within Sex	4.7%	7.9%	5.5%
	25-29	Count	76	50	126
		% within Sex	11.2%	20.8%	13.7%
	30-34	Count	123	39	162
		% within Sex	18.1%	16.3%	17.6%
	35-39	Count	145	35	180
		% within Sex	21.3%	14.6%	19.5%
	40-44	Count	121	36	157
		% within Sex	17.8%	15.0%	17.0%
	45-49	Count	73	29	102
		% within Sex	10.7%	12.1%	11.1%
	50-54	Count	42	15	57
		% within Sex	6.2%	6.3%	6.2%
	55-59	Count	35	8	43
		% within Sex	5.1%	3.3%	4.7%
	60-64	Count	17	3	20
		% within Sex	2.5%	1.3%	2.2%
	65-69	Count	7	1	8
		% within Sex	1.0%	.4%	.9%
	70+	Count	4	0	4
		% within Sex	.6%	.0%	.4%
Total		Count	681	240	921
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	207	16	223
		% within Sex	30.4%	6.7%	24.2%
	African American	Count	304	191	495
		% within Sex	44.6%	79.6%	53.7%
	Hispanic	Count	163	33	196
		% within Sex	23.9%	13.8%	21.3%
	Asian-Pacific Islander	Count	5	0	5
		% within Sex	.7%	.0%	.5%
	Not Specified	Count	2	0	2
		% within Sex	.3%	.0%	.2%
Total		Count	681	240	921
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	379	0	379
Exposure		% within Sex	55.7%	.0%	41.2%
	IDU	Count	61	51	112
		% within Sex	9.0%	21.3%	12.2%
	M-M & IDU	Count	39	0	39
	Hemophiliac	% within Sex	5.7%	.0%	4.2%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	80	127	207
		% within Sex	11.7%	52.9%	22.5%
	Not Classified	Count	119	62	181
		% within Sex	17.5%	25.8%	19.7%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	681	240	921
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	223	223
1	,	% within Adult-Ped	.0%	24.3%	24.2%
	African American	Count	1	494	495
		% within Adult-Ped	50.0%	53.8%	53.7%
	Hispanic	Count	0	196	196
		% within Adult-Ped	.0%	21.3%	21.3%
	Asian-Pacific Islander	Count	1	4	5
		% within Adult-Ped	50.0%	.4%	.5%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	2	919	921
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis		1	The state of the s		
			Male	Female	Total
Diagnosis	0 (0-11 mo)	Count	34	32	66
Diagnosis		% within Sex	.2%	1.0%	.3%
	1 (12-23 mo)	Count	20	9	29
_		% within Sex	.1%	.3%	.1%
	2-4	Count	18	26	44
		% within Sex	.1%	.8%	.2%
	5-12	Count	15	17	32
		% within Sex	.1%	.5%	.1%
	13-19	Count	90	96	186
		% within Sex	.5%	2.9%	.8%
_	20-24	Count	830	336	1166
		% within Sex	4.3%	10.2%	5.2%
_	25-29	Count	2833	605	3438
		% within Sex	14.7%	18.4%	15.3%
_	30-34	Count	4549	640	5189
		% within Sex	23.6%	19.5%	23.0%
_	35-39	Count	4299	553	4852
		% within Sex	22.3%	16.8%	21.5%
	40-44	Count	3009	430	3439
		% within Sex	15.6%	13.1%	15.3%
	45-49	Count	1703	227	1930
		% within Sex	8.8%	6.9%	8.6%
	50-54	Count	911	138	1049
		% within Sex	4.7%	4.2%	4.7%
_	55-59	Count	481	81	562
		% within Sex	2.5%	2.5%	2.5%
_	60-64	Count	247	55	302
		% within Sex	1.3%	1.7%	1.3%
_	65-69	Count	135	17	152
		% within Sex	.7%	.5%	.7%
_	70+	Count	84	21	105
		% within Sex	.4%	.6%	.5%
Total		Count	19258	3283	22541
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	10247	596	10843
		% within Sex	53.2%	18.2%	48.1%
	African American	Count	5882	2219	8101
		% within Sex	30.5%	67.6%	35.9%
	Hispanic	Count	3023	458	3481
		% within Sex	15.7%	14.0%	15.4%
	Asian-Pacific Islander	Count	81	9	90
		% within Sex	.4%	.3%	.4%
	Am Indian-Alaskan	Count	12	0	12
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	13	1	14
		% within Sex	.1%	.0%	.1%
Total	_	Count	19258	3283	22541
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12782	0	12782
Exposure		% within Sex	66.4%	.0%	56.7%
	IDU	Count	1752	992	2744
		% within Sex	9.1%	30.2%	12.2%
	M-M & IDU	Count	1866	0	1866
		% within Sex	9.7%	.0%	8.3%
	Hemophiliac	Count	44	2	46
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	1286	1684	2970
		% within Sex	6.7%	51.3%	13.2%
	Transfusion	Count	60	35	95
		% within Sex	.3%	1.1%	.4%
	Not Classified	Count	1365	474	1839
		% within Sex	7.1%	14.4%	8.2%
	Ped Hemophiliac	Count	15	0	15
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	77	83	160
		% within Sex	.4%	2.5%	.7%
	Ped Transfusion	Count	9	10	19
		% within Sex	.0%	.3%	.1%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	2	2	4
		% within Sex	.0%	.1%	.0%
Total		Count	19258	3283	22541
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	25	10818	10843
	·	% within Adult-Ped	14.6%	48.4%	48.1%
	African American	Count	107	7994	8101
		% within Adult-Ped	62.6%	35.7%	35.9%
	Hispanic	Count	38	3443	3481
		% within Adult-Ped	22.2%	15.4%	15.4%
	Asian-Pacific Islander	Count	1	89	90
		% within Adult-Ped	.6%	.4%	.4%
	Am Indian-Alaskan	Count	0	12	12
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	14	14
		% within Adult-Ped	.0%	.1%	.1%
Total		Count	171	22370	22541
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	10	14	24
Diagnosis		% within Sex	.1%	.7%	.3%
	1 (12-23 mo)	Count	8	5	13
		% within Sex	.1%	.3%	.1%
	2-4	Count	7	10	17
		% within Sex	.1%	.5%	.2%
	5-12	Count	7	9	16
		% within Sex	.1%	.5%	.2%
	13-19	Count	46	66	112
		% within Sex	.6%	3.4%	1.2%
	20-24	Count	355	202	557
		% within Sex	4.7%	10.3%	5.9%
	25-29	Count	979	374	1353
		% within Sex	13.1%	19.1%	14.3%
	30-34	Count	1682	382	2064
		% within Sex	22.5%	19.5%	21.9%
	35-39	Count	1723	322	2045
		% within Sex	23.0%	16.5%	21.7%
	40-44	Count	1214	259	1473
		% within Sex	16.2%	13.2%	15.6%
	45-49	Count	741	146	887
		% within Sex	9.9%	7.5%	9.4%
	50-54	Count	392	84	476
		% within Sex	5.2%	4.3%	5.0%
	55-59	Count	174	44	218
		% within Sex	2.3%	2.3%	2.3%
	60-64	Count	74	21	95
		% within Sex	1.0%	1.1%	1.0%
	65-69	Count	42	10	52
		% within Sex	.6%	.5%	.6%
	70+	Count	23	7	30
		% within Sex	.3%	.4%	.3%
Total		Count	7477	1955	9432
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count	1	0	1
Age		% within Sex	.0%	.0%	.0%
	5-12	Count	20	23	43
		% within Sex	.3%	1.2%	.5%
	13-19	Count	11	21	32
		% within Sex	.1%	1.1%	.3%
	20-24	Count	78	70	148
		% within Sex	1.0%	3.6%	1.6%
	25-29	Count	245	190	435
		% within Sex	3.3%	9.7%	4.6%
	30-34	Count	655	327	982
		% within Sex	8.8%	16.7%	10.4%
	35-39	Count	1423	375	1798
		% within Sex	19.0%	19.2%	19.1%
	40-44	Count	1783	345	2128
		% within Sex	23.8%	17.6%	22.6%
	45-49	Count	1432	270	1702
		% within Sex	19.2%	13.8%	18.0%
	50-54	Count	930	166	1096
		% within Sex	12.4%	8.5%	11.6%
	55-59	Count	487	76	563
		% within Sex	6.5%	3.9%	6.0%
	60-64	Count	227	54	281
		% within Sex	3.0%	2.8%	3.0%
	65-69	Count	109	21	130
		% within Sex	1.5%	1.1%	1.4%
	70+	Count	76	17	93
		% within Sex	1.0%	.9%	1.0%
Total		Count	7477	1955	9432
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	3161	292	3453
		% within Sex	42.3%	14.9%	36.6%
	African American	Count	2731	1350	4081
		% within Sex	36.5%	69.1%	43.3%
	Hispanic	Count	1513	307	1820
		% within Sex	20.2%	15.7%	19.3%
	Asian-Pacific Islander	Count	53	6	59
		% within Sex	.7%	.3%	.6%
	Am Indian-Alaskan	Count	8	0	8
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	11	0	11
		% within Sex	.1%	.0%	.1%
Total		Count	7477	1955	9432
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4427	0	4427
Exposure		% within Sex	59.2%	.0%	46.9%
	IDU	Count	739	502	1241
		% within Sex	9.9%	25.7%	13.2%
	M-M & IDU	Count	672	0	672
		% within Sex	9.0%	.0%	7.1%
	Hemophiliac	Count	14	2	16
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	784	1083	1867
		% within Sex	10.5%	55.4%	19.8%
	Transfusion	Count	1	4	5
		% within Sex	.0%	.2%	.1%
	Not Classified	Count	799	317	1116
		% within Sex	10.7%	16.2%	11.8%
	Ped Hemophiliac	Count	6	0	6
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	30	44	74
		% within Sex	.4%	2.3%	.8%
	Ped Transfusion	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.1%	.0%
Total		Count	7477	1955	9432
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	6	3447	3453
		% within Adult-Ped	8.6%	36.8%	36.6%
	African American	Count	43	4038	4081
		% within Adult-Ped	61.4%	43.1%	43.3%
	Hispanic	Count	21	1799	1820
		% within Adult-Ped	30.0%	19.2%	19.3%
	Asian-Pacific Islander	Count	0	59	59
		% within Adult-Ped	.0%	.6%	.6%
	Am Indian-Alaskan	Count	0	8	8
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	11	11
		% within Adult-Ped	.0%	.1%	.1%
Total		Count	70	9362	9432
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Houston

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis				Se	ex	
Diagnosis % within Sex .5% 1.6% .8% 1 (12-23 mo) Count 21 15 36 % within Sex .2% .4% .2% 2-4 Count 23 19 42 % within Sex .2% .5% .3% 5-12 Count 25 18 43 % within Sex .2% .4% .3% 13-19 Count 169 330 499 % within Sex 1.5% 8.1% 3.2% 20-24 Count 851 604 18.7% % within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 14.7%				Male	Female	Total
1 (12-23 mo) Count 21 15 36 % within Sex .2% .4% .2% .2% .4% .2% .24 .24 .26 .25 .3% .3% .25 .3% .3% .25 .3% .3% .25 .3% .3% .2% .2% .4% .3% .3% .2% .2% .4% .3% .3% .3% .2% .2% .4% .3%		0 (0-11 mo)	Count	54	66	120
% within Sex .2% .4% .2% 2-4 Count 23 19 42 % within Sex .2% .5% .3% 5-12 Count 25 18 43 % within Sex .2% .4% .3% 13-19 Count 169 330 499 % within Sex 1.5% 8.1% 3.2% 20-24 Count 851 604 1455 % within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 22.1% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 9.0% 6.8% 8.4%	Diagnosis		% within Sex	.5%	1.6%	.8%
2-4 Count % within Sex .2% .5% .3% 5-12 Count 25 18 43 % within Sex .2% .4% .3% 13-19 Count 169 330 499 % within Sex 1.5% 8.1% 3.2% 20-24 Count 851 604 1455 % within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 21.4% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 14.7% 10.6% 13.6% 45-49 Count 529 142 671 % within Sex 9.0%		1 (12-23 mo)	Count	21	15	36
% within Sex .2% .5% .3% 5-12 Count 25 18 43 % within Sex .2% .4% .3% 13-19 Count 169 330 499 % within Sex 1.5% 8.1% 3.2% 20-24 Count 851 604 1455 % within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 22.1% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 9.0% 6.8% 8.4% 50-54 Count 529 142 671 % within Sex 2.1% 1.7%			% within Sex	.2%	.4%	.2%
5-12 Count % within Sex .2% .4% .3% 13-19 Count 169 330 499 % within Sex 1.5% 8.1% 3.2% 20-24 Count 851 604 1455 % within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 22.1% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 21.4% 13.7% 19.4% 45-49 Count 1051 274 13.6% 50-54 Count 529 142 671 % within Sex 9.0% 6.8% 8.4% 55-59 Count 240 71 311 % within Sex 2.1% 1.7		2-4	Count	23	19	42
Within Sex .2% .4% .3% .3% .499 .300 .499 .48 .300 .499 .48 .300 .499 .48 .300 .499 .48 .49 .300 .499 .49			% within Sex	.2%	.5%	.3%
13-19		5-12	Count	25	18	43
Within Sex			% within Sex	.2%	.4%	.3%
20-24		13-19	Count	169	330	499
Within Sex 7.3% 14.9% 9.3% 25-29 Count 1700 759 2459 % within Sex 14.6% 18.7% 15.7% 30-34 Count 2576 727 3303 % within Sex 22.1% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 14.7% 10.6% 13.6% 45-49 Count 1051 274 1325 % within Sex 9.0% 6.8% 8.4% 50-54 Count 529 142 671 % within Sex 4.5% 3.5% 4.3% 55-59 Count 240 71 311 % within Sex 2.1% 1.7% 2.0% 60-64 Count 105 26 131 % within Sex 9.9% 6.6% 8.8% 65-69 Count 56 12 68 % within Sex 55% 3.3% 4.4% 70+ Count 37 10 47 % within Sex 3.3% 2.2% 3.3% Unknown Count 1 0 1 % within Sex 0.0% 0.0% Total Total Count 11633 4058 15691 Total Total 11633 4058 15691			% within Sex	1.5%	8.1%	3.2%
25-29		20-24	Count	851	604	1455
Within Sex			% within Sex	7.3%	14.9%	9.3%
30-34		25-29	Count	1700	759	2459
Within Sex 22.1% 17.9% 21.1% 35-39 Count 2484 555 3039 % within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 % within Sex 14.7% 10.6% 13.6% 45-49 Count 1051 274 1325 % within Sex 9.0% 6.8% 8.4% 50-54 Count 529 142 671 % within Sex 4.5% 3.5% 4.3% 55-59 Count 240 71 311 % within Sex 2.1% 1.7% 2.0% 60-64 Count 105 26 131 % within Sex 9.9% 6.6% 8.8% 65-69 Count 56 12 68 % within Sex .5% .3% .4% 70+ Count 37 10 47 % within Sex .3% .2% .3% Unknown Count 1 0 1 % within Sex .0% .0% .0% Total Count 11633 4058 15691 Total Count 11633 4058 Total Total			% within Sex	14.6%	18.7%	15.7%
35-39		30-34	Count	2576	727	3303
Within Sex 21.4% 13.7% 19.4% 40-44 Count 1711 430 2141 2141 245-49 Count 1051 274 1325 268 25-59 Count 240 71 311 2.0% 2.0% 60-64 Count 105 26 131 2.0% 65-69 Count 566 12 68 2.5% 3.5% 3.5% 4.3% 65-69 Count 566 12 68 2.5% 3.5% 3.5% 3.5% 4.3% 65-69 Count 37 10 47 2.0% 60-64 Count 37 10 47 3.5%			% within Sex	22.1%	17.9%	21.1%
40-44		35-39	Count	2484	555	3039
Within Sex			% within Sex	21.4%	13.7%	19.4%
A5-49		40-44	Count	1711	430	2141
Within Sex 9.0% 6.8% 8.4%			% within Sex	14.7%	10.6%	13.6%
Total Tota		45-49	Count	1051	274	1325
Note			% within Sex	9.0%	6.8%	8.4%
55-59 Count % within Sex 240 71 311 60-64 Count % within Sex 9% 6% 131 % within Sex 9% 6% 8% 65-69 Count 56 12 68 % within Sex .5% .3% .4% 70+ Count 37 10 47 % within Sex .3% .2% .3% Unknown Count 1 1 0 1 % within Sex .0% .0% .0% Total Count 11633 4058 15691		50-54		529	142	671
Within Sex 2.1% 1.7% 2.0%			% within Sex	4.5%	3.5%	4.3%
60-64 Count 105 26 131 % within Sex .9% .6% .8% 65-69 Count 56 12 68 % within Sex .5% .3% .4% 70+ Count 37 10 47 % within Sex .3% .2% .3% Unknown Count 1 0 1 % within Sex .0% .0% .0% .0% Total Count 11633 4058 15691		55-59	Count	240	71	311
Within Sex .9% .6% .8%			% within Sex	2.1%	1.7%	2.0%
65-69 Count % within Sex 56 12 68 70+ Count % within Sex .5% .3% .4% 70+ Count % within Sex .3% .2% .3% Unknown Count % within Sex .0% .0% .0% Total Count % 11633 4058 15691		60-64	Count	105	26	131
% within Sex .5% .3% .4% 70+ Count % within Sex .37 10 47 % within Sex .3% .2% .3% Unknown Count 1 0 1 % within Sex .0% .0% .0% Total Count 11633 4058 15691			% within Sex	.9%	.6%	.8%
70+ Count % within Sex 37 10 47 % within Sex .3% .2% .3% Unknown Count 1 0 1 % within Sex .0% .0% .0% Total Count 11633 4058 15691		65-69	Count	56	12	68
Weight % within Sex .3% .2% .3% Unknown Count 1 0 1 % within Sex .0% .0% .0% Total Count 11633 4058 15691			% within Sex	.5%	.3%	.4%
Unknown Count % within Sex 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		70+	Count	37	10	47
% within Sex .0% .0% .0% Total Count 11633 4058 15691			% within Sex	.3%	.2%	.3%
Total Count 11633 4058 15691		Unknown	Count	1	0	1
			% within Sex	.0%	.0%	.0%
% within Sex 100.0% 100.0% 100.0%	Total		Count	11633	4058	15691
			% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	0	1	1
Age		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	3	4	7
		% within Sex	.0%	.1%	.0%
	2-4	Count	9	10	19
		% within Sex	.1%	.2%	.1%
	5-12	Count	75	72	147
		% within Sex	.6%	1.8%	.9%
	13-19	Count	51	81	132
		% within Sex	.4%	2.0%	.8%
	20-24	Count	288	333	621
		% within Sex	2.5%	8.2%	4.0%
	25-29	Count	676	560	1236
		% within Sex	5.8%	13.8%	7.9%
	30-34	Count	1326	710	2036
		% within Sex	11.4%	17.5%	13.0%
	35-39	Count	2263	699	2962
		% within Sex	19.5%	17.2%	18.9%
	40-44	Count	2571	600	3171
		% within Sex	22.1%	14.8%	20.2%
	45-49	Count	1974	459	2433
		% within Sex	17.0%	11.3%	15.5%
	50-54	Count	1236	273	1509
		% within Sex	10.6%	6.7%	9.6%
	55-59	Count	631	135	766
		% within Sex	5.4%	3.3%	4.9%
	60-64	Count	289	74	363
		% within Sex	2.5%	1.8%	2.3%
	65-69	Count	135	26	161
		% within Sex	1.2%	.6%	1.0%
	70+	Count	106	21	127
		% within Sex	.9%	.5%	.8%
Total		Count	11633	4058	15691
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	4592	606	5198
		% within Sex	39.5%	14.9%	33.1%
	African American	Count	4662	2864	7526
		% within Sex	40.1%	70.6%	48.0%
	Hispanic	Count	2255	553	2808
		% within Sex	19.4%	13.6%	17.9%
	Asian-Pacific Islander	Count	84	19	103
		% within Sex	.7%	.5%	.7%
	Am Indian-Alaskan	Count	14	4	18
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	26	12	38
		% within Sex	.2%	.3%	.2%
Total		Count	11633	4058	15691
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

			Sex		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	6514	0	6514
		% within Sex	56.0%	.0%	41.5%
	IDU	Count	1049	809	1858
		% within Sex	9.0%	19.9%	11.8%
	M-M & IDU	Count	932	0	932
		% within Sex	8.0%	.0%	5.9%
	Hemophiliac	Count	16	3	19
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	1202	2181	3383
		% within Sex	10.3%	53.7%	21.6%
- - - -	Transfusion	Count	1	5	6
		% within Sex	.0%	.1%	.0%
	Not Classified	Count	1787	933	2720
		% within Sex	15.4%	23.0%	17.3%
	Ped Hemophiliac	Count	8	1	9
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	106	116	222
		% within Sex	.9%	2.9%	1.4%
	Ped Transfusion	Count	5	1	6
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	13	9	22
		% within Sex	.1%	.2%	.1%
Total		Count	11633	4058	15691
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Houston

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	26	5172	0	5198
		% within Adult-Ped	10.8%	33.5%	.0%	33.1%
	African American	Count	161	7365	0	7526
		% within Adult-Ped	66.8%	47.7%	.0%	48.0%
	Hispanic	Count	45	2762	1	2808
		% within Adult-Ped	18.7%	17.9%	100.0%	17.9%
	Asian-Pacific Islander	Count	1	102	0	103
		% within Adult-Ped	.4%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	1	17	0	18
		% within Adult-Ped	.4%	.1%	.0%	.1%
	Not Specified	Count	7	31	0	38
		% within Adult-Ped	2.9%	.2%	.0%	.2%
Total		Count	241	15449	1	15691
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Houston